

## **Technical Rider - Sound and light requirements Exit 207**

### **PA-System:**

High quality PA system, well suited for venue

Depending on type of event, it should give at least 100 to 110dB(A) at FOH

Recommended systems: d&b, Nexo, JBL, L-acoustics, Adamson, ...

**FOH:** (placed 15-25m in front of stage on riser, centered!):

32 channel digital mixing desk (Yamaha M7 CL32, Yamaha QL-1 or QL-5 recommended)

No Behringer equipment!

### **Monitor:**

32 channel monitor desk (for larger stage only)

Multicore with adequate splitter

min. 7 aux sends

IEM with 7 receivers excluding ear phones

For larger stages drum-fill and side-fills

Experienced monitor technician (for larger stages only)

### **Riser:**

Drums: 2m x 2m x 0,4m

Keyboards: 2m x 2m x 0,4m

FOH, Light: 4m x 3m x 0,5m

### **Light:**

Trussing according to stage size, well suited and certified for load

12x Moving lights min. 575 HMI (heads and scanners can be mixed)

2x 4-Blinder groups

3x ACL Bars (3 groups)

4x DTS Scena 650/1000 Fresnel

1 Hazer (ie. Look Unique, ...)

1 Fogger 1600W (ie. JEM Magnum Pro 2000, ...)

Universal lighting control desk (ie. Licon 1x, GrandMA, ...) - NO PC-only system

### **For further information or any changes please contact:**


Harry Böhaker, Cell phone +43 664 4551856, [office@exit207.com](mailto:office@exit207.com)

## Technical Rider – Channel list Exit 207

<b>Ch</b>	<b>Instrument</b>	<b>Subcore</b>	<b>Mic/DI</b>	<b>Stand</b>
1	Kick		Beta 91, 52	med. boom
2	Snare		SM 57	med. boom
3	HiHat		C451,...	med. boom
4	Tom 1		Beta 98, e604,..	clamp
5	Tom 2		Beta 98, e604,..	clamp
6	OH L		C414, KM184,...	large boom
7	OH R		C414, KM184,...	large boom
8	Pad L		DI	
9	Pad R		DI	
10	Bass		DI	
11	Lead Guit L		SM57, E606	med. boom
12	Lead Guit R		SM57, E606	med. boom
13	Rhythm Guit		SM57, E606	med. boom
14	Acoustic Guit		DI	
15	Piano L		DI	
16	Piano R		DI	
17	Synth L / Keytar		DI	
18	Synth R / Accordion		DI	
19	Talkback Keys		SM57, E606	large boom
20	Violin		DI	
21	Voc female singer L		SM58 wireless	round straight boom
22	Voc female singer R		SM58 wireless	round straight boom
23	Voc male singer center		SM58 wireless	round straight boom
24	Voc Keys		SM58	large boom
25	Voc Bass			
26	Voc Guit			
R1	IE1 Git			
R2	IE2 Voc female singer L			
R3	IE3 Voc female singer R			
R4	IE4 Voc male singer center			
R5	IE5 Bass			
R6	IE6 Keys			
R7	IE7 Drums			
R8	Spare			

# Technical Rider – Stageplot Exit 207

9m x 6m x 0,8m (min. 8m x 5m x 0,6m)



 Vocal with boom stand

 230V AC power outlet